

# इंटरनेट

# मानक

## Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

“जानने का अधिकार, जीने का अधिकार”

Mazdoor Kisan Shakti Sangathan

“The Right to Information, The Right to Live”

“पुराने को छोड़ नये के तरफ”

Jawaharlal Nehru

“Step Out From the Old to the New”

IS 10449 (1983): Code for transport of live fish seed for inland pisciculture purposes [FAD 5: Livestock Feeds, Equipment and Systems]



“ज्ञान से एक नये भारत का निर्माण”

Satyanarayan Gangaram Pitroda

“Invent a New India Using Knowledge”



“ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है”

Bhartrhari—Nitiśatakam

“Knowledge is such a treasure which cannot be stolen”



BLANK PAGE



IS : 10449 - 1983

*Indian Standard*

CODE FOR  
TRANSPORT OF LIVE FISH SEEDS FOR  
INLAND PISCICULTURE PURPOSES

UDC 656.074 : 639.2



© Copyright 1983

**INDIAN STANDARDS INSTITUTION**  
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG  
NEW DELHI 110002

# Indian Standard

## CODE FOR TRANSPORT OF LIVE FISH SEEDS FOR INLAND PISCICULTURE PURPOSES

### Live Animals Sectional Committee, AFDC 24

<i>Chairman</i>	<i>Representing</i>
DR H. G. SEN	Organon ( India ) Limited, Calcutta
<i>Members</i>	
DR V. S. ALWAR	Animal Welfare Board ( Ministry of Agriculture ), Madras
DR S. R. CHADHA ( <i>Alternate</i> )	
ANIMAL HUSBANDRY COMMISSIONER	Animal Husbandry Commissioner to the Government of India ( Ministry of Agriculture ), New Delhi
DR B. R. BALIGA	Central Food Technological Research Institute ( CSIR ), Mysore
DR M. A. HALEEM ( <i>Alternate</i> )	
DR M. S. BHAMJI	Indian Council of Medical Research, New Delhi
DR S. JAYARAMAN ( <i>Alternate</i> )	
DR K. R. BHARDWAJ	Central Drug Research Institute ( CSIR ), Lucknow
DR J. N. S. YADAVA ( <i>Alternate</i> )	
DR D. P. BUDUK	Haffkine Bio-pharmaceutical Corporation Limited, Bombay
DR A. Y. NIMBKAR ( <i>Alternate</i> )	
DR P. R. CHANDRAN	Zoological Gardens, Trivandrum
SHRI C. P. CHANDRASEKHARAN	Railway Board ( Ministry of Railways ), New Delhi
DR G. P. DAS	Sarabhai Research Centre, Vadodara
DR D. C. BANIK ( <i>Alternate</i> )	
DR P. J. DEORAS	In personal capacity ( 341-A Sahitya Sahawas, Bandra East, Bombay )
DR P. K. GANGOPADHYAY	Indian Institute of Chemical Biology ( CSIR ), Calcutta
DR S. K. MITRA ( <i>Alternate</i> )	
SHRI A. D. LIMA	Air India, Bombay
SHRI FELIX NORONHA ( <i>Alternate</i> )	
DR DEV RAJ NARANG	Delhi Society for the Prevention of Cruelty to Animals, Delhi
HONORARY SECRETARY ( <i>Alternate</i> )	

( Continued on page 2 )

© Copyright 1983

INDIAN STANDARDS INSTITUTION

This publication is protected under the *Indian Copyright Act* ( XIV of 1957 ) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

( Continued from page 1 )

<i>Members</i>	<i>Representing</i>
DR A. V. NATARAJAN	Central Inland Fisheries Research Institute ( ICAR ), Barrackpore
DR K. L. SEHGAL ( <i>Alternate</i> )	
DR P. R. PABRAI	Directorate General of Health Services, New Delhi
SHRI S. C. GUPTA ( <i>Alternate</i> )	
SHRI T. E. PATTERSON	T. E. Patterson ( India ) Private Limited, New Delhi
SHRI D. D. DHAWAN ( <i>Alternate</i> )	
DR R. S. PRASAD	University of Kerala, Trivandrum
DR R. R. RAO	Ciba-Geigy Research Centre, Bombay
SHRI M. M. MATHEWS ( <i>Alternate</i> )	
DR K. A. REDDY	Central Poultry Breeding Farm ( Ministry of Agri- culture ), Bombay
BRIG P. D. SAKSENA	In personal capacity ( <i>E-20, Saket, New Delhi</i> )
DR SATISH KUMAR	Indian Veterinary Research Institute ( ICAR ), Izatnagar
DR H. S. PANDEY ( <i>Alternate</i> )	
DR ( SMT ) SARALJIT SEHGAL	National Institute of Communicable Diseases, New Delhi
DR HARI OM GUPTA ( <i>Alternate</i> )	
SHRI U. K. SHARMA	Indian Airlines Corporation, New Delhi
SHRI G. P. BHATNAGAR ( <i>Alternate</i> )	
DR BRIJPAL SINGH	Central Avian Research Institute ( CSIR ), Bareilly
DR MANOHAR SINGH	Director of Animal Husbandry Haryana, Chandigarh
DR G. P. GROVER ( <i>Alternate</i> )	
PROF P. N. SRIVASTAVA	University Grants Commission, New Delhi
MAJ-GEN S. N. SRIVASTAVA	Directorate of Remount Veterinary Services, Army Headquarters, New Delhi
SHRI M. E. THOMAS	Chief Controller of Imports and Exports, New Delhi
SHRIMATI P. MOHAN ( <i>Alternate</i> )	
DR T. R. THYAGARAJAN	Indian Drugs and Pharmaceuticals Ltd, Rishikesh
DR S. P. SHARMA ( <i>Alternate</i> )	
DR T. N. VAISHNAY	Director of Animal Husbandry Gujarat State, Ahmadabad
DR B. M. L. VARMA	Industrial Toxicology Research Centre ( CSIR ), Lucknow
DR J. L. KAW ( <i>Alternate</i> )	
SHRI T. PURNANANDAM, Director ( Agri & Food )	Director General, ISI ( <i>Ex-officio Member</i> )

*Secretary*

SHRI LAJINDER SINGH  
Deputy Director ( Agri & Food ), ISI

# *Indian Standard*

## CODE FOR TRANSPORT OF LIVE FISH SEEDS FOR INLAND PISCICULTURE PURPOSES

### 0. FOREWORD

**0.1** This Indian Standard was adopted by the Indian Standards Institution on 31 January 1983, after the draft finalized by the Live Animals Sectional Committee had been approved by the Agricultural and Food Products Division Council.

**0.2** The transport of live fish seeds of inland species is an important part of pisciculture. Since the stocking of inland water with seeds is mostly seasonal, the timely implementation and success of national programme for extension and intensification of pisciculture would largely depend upon the speed and effectiveness with which the fish seeds are transported from the limited centres of collection or production to the far flung water areas spread over the entire country. The existing transport practices range from open containers with renewal of water at intervals to closed polyethylene bags sealed with oxygen under pressure.

**0.3** For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test, shall be rounded off in accordance with IS : 2-1960\*. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

---

### 1. SCOPE

**1.1** This code prescribes the conditions for transport of live fish seeds of inland fish species for pisciculture purposes.

NOTE — This Code excludes seeds of fresh water shell fish.

---

\*Rules for rounding off numerical values (*revised*).

## **2. DEFINITION**

**2.1** For the purpose of this standard the following definitions shall apply.

**2.1.1 Fish Seeds** — Fish seeds ( fertilized eggs, spawn, fry and fingerlings ) of quick-growing species of warm and cold fresh water fish meant for development of inland pisciculture.

## **3. GENERAL REQUIREMENTS**

**3.1** The live fish seeds shall be stored where they shall not be subjected to desiccation, extreme high and low temperatures and any other type of stress.

**3.2** Only healthy, disease resistant and conditioned live fish seeds shall be selected and released for packing and transportation.

**3.3** As far as practicable, live fish seeds of the same species and size shall be packed for transport. However, fish seeds of certain compatible species, of uniform size which are non-predaceous in habits can be packed in the same container.

**3.4** Fish seeds, as far as possible, shall be transported either by air or by the fastest passenger train.

**3.5** Minimum of 50 percent of the space in each polyethylene bags used as containers for holding live fish seeds shall be filled with oxygen, so as to provide a pressure of 1.0 kg per cm<sup>2</sup>. The mouth of the polyethylene bag shall be tied tightly to prevent escape of oxygen during transportation.

**3.6** During transport, jerks, jolts and shocks shall be avoided, as far as possible. In case of transport by rail, the fastest train shall be chosen and in case of road transport for short distances nearest but metalled or good surfaced-road shall be used.

## **4. PACKING REQUIREMENTS**

**4.1 Fertilized Eggs** — Fertilized eggs of brown and rainbow trouts at eyed-stage shall be transported in insulated wooden cabinet of the dimensions 50 × 25 × 40 cm. On the top of the cabinet 20 cm high cupboard with galvanized wire-netting base shall be provided to pack moss with snow or ice. Under the cupboard two trays shall be arranged above the other perforated zinc sheet base for packing moss, and to hold the water from the melting snow or ice lying above. Below the two trays 42 egg trays shall be placed in two rows of tray 21 each. Each egg tray ( 23 × 23 × 100 cm ) shall have a muslin cloth base to keep the eggs moist. Each egg tray shall hold 1 000 eyed eggs in a single layer.



## 4.2 Spawn, Fry and Fingerlings

**4.2.1** Only tested leakproof polyethylene bags having not less than 75 micron thickness shall be used to pack spawn, fry and fingerlings of fresh water fish. The dimensions of polyethylene bags shall be 82 × 60 cm.

**4.2.2** The fish seed of Indian and exotic carps shall be packed in accordance with size and number as given in Table 1, to avoid mortality of more than 5 percent.

**TABLE 1 PACKING DENSITY OF CARP SPAWN, FRY AND FINGERLINGS**

SIZE RANGE ( mm )	DURATION OF TRANSPORT ( hours )	NUMBER TO BE PACKED PER POLYETHYLENE BAG
(1)	(2)	(3)
5 to 10	12 to 24	10 000-12 000
11 to 20	Up to 12	2 500
21 to 30	Up to 12	1 500
31 to 40	Up to 12	1 000
41 to 50	Up to 12	300
51 to 60	Up to 12	200
61 to 70	Up to 12	100
71 to 80	Up to 12	50

**4.3** The polyethylene bags holding live fish seeds shall be packed in an outer 16.5 litre oil cans having press-in-lid. The tins shall be of good quality, rust-free, and of enough strength to withstand the stresses and strains encountered during transportation by air or rails and/or road. Only one polyethylene bag shall be packed in each tin.

**4.4** As far as possible the tins shall be insulated with thermocole lining from inside. Alternatively some soft packing material ( paper shaving/ old newspaper ) shall be provided at the bottom and four sides of the tin to act as cushioning material to the polyethylene bag and to give protection from tearing off and temperature fluctuations.

**4.5** The polyethylene bag shall be filled with pure chlorine-free fresh water up to 50 percent of its capacity before releasing spawn, fry and fingerlings.

## **IS : 10449 - 1983**

**4.6** Loading and unloading of the tins shall be done efficiently and quickly after sealing the mouth of the polyethylene bag and be done immediately after the arrival of the consignment of fish seed. The tins shall be handled with care during storage in aircraft, train or motor lorry.

### **5. LABELLING**

**5.1** Each tin shall bear a label giving the following information written legibly and indelibly:

- a) Name of the species;
- b) Stage of fish seeds ( spawn, fry or fingerlings ),
- c) Name, address and telephone number of the consignor; and
- d) Name, address and telephone number of the consignee.

**5.2** Each container shall also be marked with a cautionary notice reading as under:

**‘TOP PRIORITY. LIVE FISH SEEDS. HANDLE WITH CARE’**

**5.3** Each container shall bear on the face a red arrow showing the upper side.